

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



THE PLANT DISEASE REPORTER

Issued By


Division of Mycology and Disease Survey

Supplement 111

Index to Supplements 105 - 110

December 31, 1938

(Issued November 1, 1939)



BUREAU OF PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE

INDEX OF ORGANISMS AND NON-PARASITIC DISEASES

in

THE PLANT DISEASE REPORTER

SUPPLEMENTS 105 - 110, 1938.

Prepared by Nellie W. Nance

Plant Disease Reporter
Supplement 111

December 31, 1938

Supplement 105, "List of causes of fungous and bacterial plant diseases in Maine to 1936 inclusive," is indexed on pages 51-60.

A

- Acronecrosis (virus), potato, 314.
Acropetal necrosis (virus), potato, 314.
Actinomyces sp., sweet potato, 107, 294.
 scabies, garden beet, 279.
 potato, 71, 109, 310.
Albinism (genetic), barley, 179.
 pepper, 287.
 watermelon, 288.
 wheat, 190.
Albugo bliti, *Amaranthus retroflexus*, 259.
 candida, curly leaf mustard, 280.
 horseradish, 309.
 mustard, 67.
 radish, 309.
 ipomoeae-panduranae, *Ipomoea trifida*,
 266.
 occidentalis, spinach, 81, 316.
 tragopogonis, salsify, 316.
Almeria spot (physiological), grape, 77.
Alternaria spp., carrot, 293.
 cherry, 76.
 Chrysanthemum, 262.
 corn, 195.
 cotton, 204.
 Dianthus caryophyllus, 263.
 Eustoma russellianum, 264.
 garden beet, 279.
 grape, 77.
 Alternaria spp., honey dew melon, 78.
 horseradish, 309.
 lima bean, 64.
 Liriodendron tulipifera, 245.
 Nymphaea sp., 269.
 olive, 79.
 parsley, 303.
 pepper, 285.
 pomegranate, 81.
 soybean, 199.
 spearmint, 207.
 tomato, 73, 74, 298.
 wheat, 188.
 atrans, cowpea, 201.
 brassicae, broccoli, 280.
 cabbage, 281.
 cauliflower, 280.
 turnip, 285.
 cucumerina, cantaloup, 288.
 cucumber, 290.
 dianthi, *Dianthus caryophyllus*,
 263.
 fasciculata, bean, 304.
 tomato, 298.
 herculea, cabbage, 281.
 cauliflower, 280.
 longipes, tobacco, 207.
 radicina, carrot, 293.

- Alternaria solani*, eggplant, 310.
 pepper, 285.
 potato, 311.
 tomato, 110, 112, 297.
tenuis, cotton, 204.
 tomato, 298.
 tomato, tomato, 298.
violae, *Viola* sp., 273.
Amerosporium oeconomicum, cowpea, 201.
Anguina sp. *Buchloë dactyloides*, 202.
 tritici, wheat, 189.
 Anthracnose, banana, 63.
Aphanomyces, sugar beet, 317.
 euteiches, green peas, 118, 119.
 pea, 307.
 scabies, radish, 309.
Aphelenchoides fragariae, *Chrysanthemum*,
 262.
 strawberry, 128, 218.
Aplanobacter insidiosum, alfalfa, 199.
 michiganense, tomato, 111, 113, 300.
 rhizoctonia, lettuce, 297.
 stewarti, corn, 196.
 field corn, 104.
 sweet corn, 106, 197.
Armillaria mellea, apple, 219.
 cherry, 227.
 peach, 213.
 pear, 231.
 prune, 227.
 Rhododendron sp., 270.
 Arsenical spray injury, apple, 63.
 peach, 214.
Ascochyta sp., pea, 307.
 graminicola, barley, 178.
 rye, 181.
 pinodella, green peas, 118, 119.
 pea, 307.
 pisi, green peas, 118, 119.
 pea, 69, 307.
 rhei, rhubarb, 309.
 sorghina, *Holcus halepensis*, 202.
 sorghum, 181.
 Sorghum vulgare sudanense, 203.
Aspergillus spp., corn, 192, 194.
 garlic, 276.
 niger, corn, 192, 194.
 cotton, 204.
Aspergillus niger, lime, 78.
 onion, 68.
 nigricans, sorghum, 182.
 ochraceus, corn, 192, 194.
- B
- Bacillus amylovorus*, apple, 124, 224.
 Cotoneaster sp., 262.
 Crataegus sp., 243.
 pear, 122, 231.
 Pyracantha sp., 270.
 quince, 216.
 Sorbus americana, 253.
 avenae, oats, 175.
 carotovorus, cabbage, 283.
 carrot, 293.
 celery, 278.
 garlic, 276.
 Hyacinth, 265.
 Iris sp., 266.
 potato, 313.
 tomato, 300.
 phytophthorus, potato, 108, 313.
 tracheiphilus, cantaloup, 289.
 cucumber, 290.
 squash, 291.
 watermelon, 288.
 Bacteria, potato, 71.
 Bacterial decay, asparagus, 63.
 Bacterial and fungous plant diseases
 in Maine to 1936 inclusive, list
 of causes, pp. 1-60.
 Bacterial soft rot, Iris sp., 266.
 dandelion, 66.
 endive, 66.
 horseradish, 309.
 lettuce, 67.
 onion, 67, 68.
 pepper, 69.
 potato, 70, 71.
 radish, 71.
 shallot, 72.
 spinach, 81.
 tomato, 73.
 wilt, *Maddenia*, 245.
 Bacterium spp., bean, 64.
Begonia sp., 261.

- Bacterium* spp., cabbage, 64.
 cauliflower, 65.
 celery, 65.
 filbert, 237.
 lima bean, 303.
 sorghum, 182.
 spinach, 72.
 turnip, 285.
aleuritides, tung oil tree, 203.
andropogoni, sorghum, 182.
Sorghum vulgare sudanense, 203.
angulatum, tobacco, 121, 209.
apii, celery, 278.
atrofaciens, barley, 178.
 wheat, 189.
campestre, broccoli, 280.
 cabbage, 65, 284.
 radish, 309.
campestre armoraciae, horseradish, 309.
citri, *Citrus* sp., 215.
coronafaciens, oats, 175.
cucurbitae, pumpkin, 292.
 squash, 291.
delphinii, *Delphinium* sp., 263.
dianthi, *Dianthus caryophyllus*, 264.
flaccumfaciens, bean, 305.
 dry beans, 116.
 snap bean, 114.
glycineum, soybean, 200.
gummisudans, *Gladiolus* sp., 265.
holci, sorghum, 182.
holcicola, sorghum, 182.
lachrymans, cucumber, 66, 291.
malvacearum, cotton, 120, 205.
marginale, lettuce, 296.
marginatum, *Gladiolus* sp., 265.
medicaginis phaseolicola, bean, 305.
 dry beans, 116.
 snap bean, 114.
pelargonii, *Pelargonium* sp., 269.
phaseoli, bean, 64, 306.
 cowpea, 201.
 dry beans, 116.
 lima bean, 303.
 snap bean, 114.
Bacterium pisi, green peas, 118, 119.
 pea, 308.
pruni, cherry, 228.
 nectarine, 214.
 peach, 126, 213.
 plum, 230.
punctulans, tomato, 73.
rubrilineans, sugar cane, 319.
rubrisubalbicans, sugar cane, 319.
sepedonicum, potato, 313.
solanacearum, potato, 313.
 tobacco, 210.
 tomato, 110, 112, 300.
syringae, *Syringa* sp., 272.
tabacum, tobacco, 121, 210.
tardicrescens, *Iris* sp., 266.
translucens, barley, 179.
translucens undulosum, wheat, 189.
tumefaciens, apple, 224.
 apricot, 226.
 blackberry, 233.
 cotton, 205.
Dahlia sp., 263.
 grape, 130, 237.
 hops, 207.
Lonicera sp., 268.
 peach, 213.
 plum, 230.
Populus sp., 250.
 quince, 216.
 raspberry, 235.
Rosa sp., 271.
Salix spp., 253.
 youngberry, 236.
vesicatorium, pepper, 286.
 tomato, 301.
vignae, lima bean, 303.
woodsii, *Dianthus caryophyllus*, 264.
 Baldwin spot, apple, see bitter pit.
 Bark discoloration, *Platanus* sp., 250.
 Bark splitting (winter injury),
Azalea sp., 261.
 Basal resinosis, white pine, 240.
Basidiophora entospora, *Callistephus hortensis*, 261.
Basisporium gallarum, see *Nigrospora* spp.

- Big vein (virus), lettuce, 296.
 Bitter pit (non-par.), apple, 62, 75,
 224.
 pear, 232.
 Black decay, grape, 76.
 end (non-par.), pear, 122, 232.
 heart, celery, 66, 278.
 potato, 71.
 leaf speck (non-par.), cabbage, 284.
 root (undet.), strawberry, 218.
 root rot, strawberry, 128.
 Blast (non-parasitic), oats, 102, 175.
 onion, 276.
 Blight (virus) spinach, 316.
 Blossom-end rot (non-par.), pepper,
 287.
 tomato, 73, 111, 113, 302.
 Blotchy ripening (non-par.), tomato,
 302.
 Blue mold, apple, 63.
 see also *Penicillium*.
 Blue stem (undet.), potato, 314.
 Botrytis spp., *Antirrhinum majus*, 260.
 apple, 219.
 asparagus, 63.
 blackberry, 232.
 carrot, 65.
 cauliflower, 65.
 Chrysanthemum, 262.
 Delphinium sp., 263.
 Dianthus caryophyllus, 264.
 endive, 66.
 grape, 66.
 Lathyrus odoratus, 267.
 Lilium sp., 267.
 Lilium candidum, 267.
 lima bean, 64.
 onion, 67, 68, 275.
 pea, 69, 308.
 pear, 69.
 Pelargonium sp., 269.
 pepper, 69.
 rhubarb, 71.
 Rosa sp., 271.
 rutabagas, 71.
 squash, 72.
 strawberry, 72, 128.
 Botrytis spp., Thuja orientalis, 253.
 Tsuga, 254.
 Zinnia sp., 273.
 allii, onion, 275.
 cinerea, apple, 75.
 Callistephus chinensis, 261.
 honey dew melon, 78.
 lettuce, 296.
 pepper, 286.
 Prunus glandulosa, 250.
 Rosa sp., 271.
 strawberry, 216.
 convoluta, Iris, see *Sclerotinia*
 convoluta.
 elliptica, Lilium candidum, 268.
 Lilium regale, 268.
 narcissicola, Narcissus sp., 268.
 paeoniae, Paeonia sp., 269.
 polyblastis, Narcissus sp., 268.
 tulipae, Tulipa sp., 273.
 Boll rots, cotton, 120.
 Bolting (non-par.), celery, 278.
 Botryosphaeria sp., see *Dothiorella* sp.
 Branch necrosis (undet.), pear, 232.
 Brachysporium sp., cotton, 204, 206.
 Breakdown, low-temperature (cold
 storage), honey dew melon, 78.
 Bremia lactucae, Lettuce, 296.
 Brown discoloration, apple, 75.
 discoloration (chilling), banana, 63.
 heart, rutabagas, 71.
 rootrot (undet.), tobacco, 210.
 stain (physiological), orange, 79.
 Bruising, banana, 63.
 watermelon, 74.
 Buckskin (virus), cherry, 123, 229.
 Bud injury (frost), cabbage, 284.
- C
- Calico (virus), potato, 314.
 Canker, Liquidambar, 245.
 pear, 232.
 Pinus strobus, 249.
 Salix sp., 253.
 Cenangium sp., Pinus pungens, 246.
 Cephalosporium sp., Abies, 241.

- Cephalosporium* sp., *Ulmus* sp., see
 Dothiorella ulmi.
 acremcnium, corn, 190.
 wilt, *Diospyros virginiana*, 244.
Cephalothecium roseum, cantaloup, 289.
Ceratostomella sp., *Platanus* sp., 249.
 adiposum, sugar cane, 319.
 fimbriata, sweet potato, 107, 294.
 ulmi, *Ulmus* spp., 254, 255, 256.
Cercospora sp., avocado, 225.
 cotton, 204.
 peanut, 204.
 althaeina, *Althaea rosea*, 259.
 ampelopsidis, Virginia creeper, 260.
 apii, celery, 276.
 carotae, carrot, 292.
 armoraciae, horseradish, 309.
 atricincta, *Zinnia* sp., 274.
 beticola, garden beet, 279.
 mangel wurzel, 280.
 sugar beet, 317.
 capsici, bell pepper, 286.
 circumscissa, plum, 229.
 columnaris, bean, 304.
 concors, potato, 312.
 cruenta, cowpea, 201.
 lima bean, 303.
 soybean, 199.
 dolichi, cowpea, 201.
 fusca, pecan, 238.
 granuliformis, *Viola* sp., 273.
 heteromeles, *Photinia* sp., 270.
 leaf spot, *Buchloë dactyloides*, 202.
 longipes, sugar cane, 318.
 malvarum, *Malva rotundifolia*, 268.
 medicaginis, alfalfa, 199.
 bur clover, 198.
 minima, pear, 231.
 nicotianae, tobacco, 208.
 nymphaeacea, *Nymphaea mexicana*, 269.
 oryzae, rice, 179.
 personata, peanut, 204.
 rosicola, *Rosa* sp., see *Mycosphaerella*
 rosicola.
 violae, *Viola* sp., 273.
Cercosporiella, barley, 98.
 albomaculans, turnip, 285.
 herpotrichoides, barley,
 176.
 herpotrichoides, wheat, 183.
 pastinacae, parsnip, 303.
 rubi, blackberry, 232.
 dewberry, 233.
Cercosporina anethi, dill, 276.
Chaetomium, corn, 195.
 sp., Irish juniper, 245.
 rice, 179.
 Thuja sp., 254.
 Chemical injury, cauliflower, 281.
 Chlorosis, *Citrus* sp., 215.
 conifers, 240.
 cowpea, 201.
 hops, 207.
 Ligustrum sp., 267.
 peach, 214.
 Rosa sp., 271.
 shortleaf pine, 241.
 slash pine, 241.
 sorghum, 182.
 strawberry, 218.
Choanephora cucurbitarum, squash, 291.
Cladosporium spp., *Antirrhinum majus*,
 260.
 cantaloup, 65.
 cherry, 76.
 grape, 77.
 Ilex sp., 244.
 lima bean, 64.
 Syringa sp., 272.
 tomato, 73.
 vetch, 201.
 album, *Lathyrus odoratus*, 267.
 carpophilum, cherry, 227.
 peach, 126, 211.
 plum, 229.
 cucumerinum, cantaloup, 289.
 cucumber, 290.
 honey dew melon, 78.
 summer squash, 292.
 cyclaminis, *Cyclamen* sp., 263.
 effusum, pecan, 238.
 fulvum, tomato, 298.
 paeoniae, *Paeonia* sp., 269.
 pisicola, pea, 69, 80, 308.

- Claviceps purpurea*, *Agropyron smithii*,
 201.
 barley, 178.
 Elymus canadensis, 202.
 rye, 100, 180.
 wheat, 182.
Clitocybe sp., pear, 232.
 tung oil tree, 203.
 Cloudy spot, tomato, 73.
Coccomyces hiemalis, cherry, 123, 227.
 kerriae, *Kerria japonica*, 267.
 prunophorae, plum, 229.
Coleosporium ipomoeae, *Pinus leiophylla*,
 246.
 madiae, *Tagetes erecta*, 272.
 solidaginis, *Callistephus chinensis*,
 261.
 Pinus resinosa, 246.
 Solidago sp., 272.
 vernoniae, *Pinus* sp., 246.
Colletotrichum sp., avocado, 225.
 guava, 230.
 papaya, 215.
 pepper, 285.
 antirrhini, *Antirrhinum majus*, 260.
 atramentarium, eggplant, 310.
 circinans, onion, 68, 275.
 destructivum, alfalfa, 198.
 erumpens, rhubarb, 309.
 falcatum, sorghum, 182.
 sugar cane, 318.
 gloeosporioides, avocado, 226.
 Citrus sp., 215.
 glycines, soybean, 200.
 graminicola, Gramineae, 203.
 oats, 175.
 rye, 100, 180.
 sorghum, 182.
 wheat, 182.
lagenarium, cantaloup, 288.
 cucumber, 66, 290.
 gourd, 291.
 honey dew melon, 78.
 squash, 291.
 watermelon, 74, 287.
lindemuthianum, bean, 304.
 cowpea, 201.
 dry beans, 116.
Colletotrichum lindemuthianum, snap
 bean, 114.
 musarum, banana, 63.
 nigrum, pepper, 285.
 phomoides, tomato, 298.
 trifolii, alfalfa, 198.
 violae-rotundifoliae, *Viola* sp.,
 273.
Coniothyrium sp., dewberry, 233.
 concentricum, *Yucca* sp., 273.
 fuekelii, *Rosa* sp., 271.
 wernsdorffiae, *Rosa* sp., 271.
 Cork (non-par.), apple, 224.
Corticium stevensii, *Azalea* sp., 261.
 Euonymus sp., 264.
 fig, 216.
 Lonicera japonica, 268.
 Pittosporum sp., 270.
 Rosa sp., 271.
 Sambucus sp., 272.
 Solidago sp., 272.
vagum, bean, 304.
 cabbage, 281.
 cauliflower, 280.
 cotton, 204.
 Dianthus caryophyllus, 264.
 garden beet, 279.
 lettuce, 297.
 peanut, 204.
 potato, 312.
 radish, 309.
 sweetpotato, 295.
Coryneum sp., *Quercus* spp., 250.
 beijerinckii, apricot, 226.
 cherry, 123.
 peach, 126, 211.
 sweet cherry, 228.
cardinale, *Cupressus macrocarpa*,
 244.
 Cracked stem (boron deficiency),
 celery, 278.
 Cracking, cherry, 75, 76.
 pineapple, 80.
 watermelon, 74.
 Crinkle (virus), *Pelargonium* sp., 269.
 Rosa sp., 271.
 strawberry, 218.
 Crinkle leaf, cotton, 206.

- Crinkle mosaic (virus), potato, 314.
Physalis sp., 270.
 watermelon, 288.
- Cristulariella depraedans*, *Acer platanoides*, 242.
- Cronartium cerebrum*, *Quercus borealis*, 250.
coleosporioides, *Pinus ponderosa*, 246.
comptoniae, *Pinus montana* mughus, 246.
Pinus murrayana, 246.
Pinus nigra, 246.
Pinus sylvestris, 246.
fusiforme, loblolly pine, 241.
 slash pine, 241.
quercuum, *Pinus banksiana*, 246.
Pinus sylvestris, 246.
Pinus virginiana, 246.
ribicola, *Pinus*, 246.
Ribes spp., 246.
- Crown girdle (undet.), pear, 232.
 tung oil tree, 203.
- Cryptosporella umbrina*, *Rosa* sp., 271.
viticola, grape, 236.
- Cumminsiella sanguinea*, *Mahonia aquifolium*, 268.
- Curly dwarf (virus), potato, 314.
- Curly top (virus), bean, 306.
 Boston Marrow squash, 292.
 cucumber, 291.
Delphinium sp., 263.
 dry beans, 117.
 garden beet, 279.
 lima bean, 303.
 snap bean, 115.
 spinach, 316.
 squash, 291.
 sugar beet, 317.
 summer squash, 292.
 tomato, 301.
 watermelon, 288.
 winter squash, 292.
- Curvularia lunata*, rice, 179.
- Cuscuta* sp., alfalfa, 199.
 clover, 200.
Fraxinus americana, 244.
Juglans nigra, 244.
 pepper, 286.
- Cuscuta* sp., *Robinia pseudoacacia*, 251.
arvensis, potato, 313.
subinclusa, *Schinus molle*, 253.
- Cylindrosporium* sp., *Celtis occidentalis*, 243.
Chrysanthemum, 262.
chrysanthemi, *Chrysanthemum*, 262.
- Cytospora* sp., *Crataegus* sp., 243.
 peach, 213.
Picea canadensis, 246.
Picea pungens, 246.
Ulmus spp., 258.
chryso sperma, *Salix* sp., 251.
kunzei, *Picea* sp., 246.
rubescens, apple, 219.
sacchari, sugar cane, 319.

D

- Damping-off, conifers, 240.
 cotton, 120, 206.
 garden beet, 279.
 locust, 241.
- Dead bark, apple, 225.
- Decay, olive, 79.
- Deficiency diseases, cauliflower, 281.
 cotton, 120.
 tobacco, 121.
- Diaporthe batatatis*, sweetpotato, 295.
citri, *Citrus* sp., 215.
phaseolorum, lima bean, 303.
umbrina, *Rosa* sp., see *Cryptosporella umbrina*.
- Dibotryon morbosum*, plum, 229.
 prune, 227.
- Didymella applanata*, raspberry, 233.
iridis, *Iris* sp., 266.
- Die back (undet.), pear, 232.
Taxus spp., 253.
- Diplocarpon earliana*, strawberry, 128, 216.
rosae, *Rosa* sp., 271.
- Diplodia* spp., corn, 190.
 field corn, 104.

- Diplodia* spp., garlic, 276.
 grapefruit, 67.
 papaya, 215.
 sweet corn, 197.
 tomato, 81.
 wheat, 188.
frumenti, see *Physalospora rhodina*.
gossypina, cotton, 205.
macrospora, corn, 192.
natalensis, Citrus sp., 215.
 cotton, 205.
 lime, 79.
 orange, 79.
tubericola, sweetpotato, 295.
 watermelon, 74.
zeae, corn, 190, 191, 192.
 sweet corn, 106, 197.
- Diseases in forest tree nurseries, etc.,
 240.
- Diseases of lime, 215.
- Discoloration (ammonia), onion, 68.
 pecan, 69.
- Ditylenchus dipsaci*, Iris sp., 266.
- Dothichiza populea*, Salix discolor, 251.
- pothiarella* sp., Aleurites fordii, 203.
 pear, 232.
ulmi, Ulmus spp., 258.
 Ulmus americana, 258.
- Dried roots (cause unknown), asparagus,
 279.
- Drought injury, apple, 224.
 Azalea, 261.
 cherry, 229.
 conifers, 240.
 rhubarb, 310.
 tobacco, 210.
 spot (non-par.), apple, 224.
 prune, 227.
- Dry rot (undet.), garden beet, 279.
- Dying (heat and drouth), Juglans sp.,
 245.
- E
- Ear rots, corn, 192.
- Elsinoë ampelina*, grape, 236.
australis, lemon, 78.
- Elsinoë veneta*, blackberry, 232.
 dewberry, 233.
 raspberry, 234.
 youngberry, 236.
- Endothia parasitica*, Castanea sp.,
 243.
- Entomosporium thuemenii*, Crataegus
 sp., 243.
- Entyloma* sp., rice, 179.
fuscum, Papaver sp., 269.
- Epicoccum*, corn, 195.
- Erysiphe* sp., Phlox sp., 270.
cichoracearum, Callistephus
chinensis, 261.
 cantaloup, 289.
 Chrysanthemum, 262.
 cucumber, 290.
 Dahlia sp., 263.
 Delphinium sp., 263.
 Phlox sp., 270.
 salsify, 316.
 squash, 291.
 summer squash, 292.
 watermelon, 288.
 Zinnia sp., 274.
- graminis*, barley, 99, 176.
 oats, 174.
 rye, 181.
 wheat, 182.
- polygoni*, alfalfa, 199.
 bean, 304.
 clover, 200.
 cowpea, 201.
 Dahlia sp., 263.
 Delphinium sp., 263.
 dry beans, 117.
 kale, 280.
Lathyrus odoratus, 267.
 pea, 308.
 snap bean, 115.
- Eutypella* sp., Acer saccharum, 242.
- Exoascus mirabilis*, plum, 229.
- Exobasidium vaccinii*, Azalea calen-
dulacea, 261.
- Fabraea maculata*, Crataegus sp., 243.
 pear, 122, 231.
 quince, 215.

- Fertilizer burning, pea, 308.
- Fomes* sp., apple, 219.
 annosus, *Pinus palustris*, 249.
 igniarius, 250.
 robustus, *Quercus borealis maxima*,
 250.
- Footrot, corn, 195.
 rye, 100.
 sweet corn, 106.
- Freezing injury, asparagus, 63.
 avocado, 63.
 cabbage, 64.
 celery, 65.
 elm, 241.
 locust, 241.
 orange, 79.
 strawberry, 218.
 sugar cane, 318.
- Frenching, avocado, 226.
 tobacco, 210.
- Frost injury, *Aesculus hippocastanum*,
 242.
 apple, 225.
 cherry, 229.
 oats, 175.
 strawberry, 218.
- Fruit drop and wilting (undet.),
 prune, 227.
- Fruit mottle, tomato, 301.
- Fruit rot, grape, 130.
 strawberry, 123.
 tomato, 110, 112.
- Fuligo ovata*, pepper, 286.
 septica, strawberry, 218.
- Fumago vegans*, eggplant, 310.
 hops, 206.
Lagerstromia indica, 267.
- Fungous and bacterial plant diseases in
 Maine to 1936 inclusive, list of
 causes, pp. 1-60.
- Fungous rots (mostly fusaria),
 asparagus, 63.
- Fusaria, peanut, 204.
- Fusarium* spp., alfalfa, 199.
Agrostis palustris, 201.
 barley, 98, 176.
 bean, 304.
 cantaloup, 65, 289.
 celery, 277.
 corn, 194, 195, 196.
 cotton, 205.
 Delphinium sp., 263.
Dianthus caryophyllus, 264.
 field corn, 104.
Gardenia sp., 264.
Gladiolus sp., 265.
 Gramineae, 203.
 green peas, 113, 119.
 honey dew melon, 78.
 Iris sp., 266.
 lima bean, 303.
 mangel wurzel, 280.
Narcissus sp., 268.
 oats, 102, 175.
 olive, 79.
 onion, 275.
 pea, 307.
 pineapple, 70, 80.
 potato, 70, 103, 311.
 red spruce, 241.
 rice, 179.
Rosa sp., 271.
 rye, 181.
 sorghum, 182.
 spinach, 316.
 sugar beet, 317.
 sweet corn, 197.
 sweet potato, 107.
Tagetes erecta, 272.
 tomato, 299.
Washingtonia gracilis filifera,
 258.
 wheat, 183, 188.
 winter squash, 292.
 apii, celery, 277.
 apii pallidum, celery, 277.
 avenaceum, potato, 311.
 bulbigenum batatas, sweetpotato, 294.
 lycopersici, tomato, 110, 112, 299.
 niveum f.?, cantaloup, 289.
 tracheiphilum, cowpea, 201.
 bullatum, cotton, 205.
 cepae, onion, 275.
 conglutinans, cabbage, 282.

- Fusarium* *conglutinans*, cauliflower, 281.
 kale, 280.
 sugar beet, 317.
conglutinans callistephi, *Callistephus chinensis*, 262.
culmorum, wheat, 183.
dianthi, *Dianthus caryophyllus*, 264.
lini, flax, 179.
martii phaseoli, bean, 304.
 dry beans, 117.
 snap bean, 115.
martii pisi, pea, 307.
moniliforme, corn, 192, 193, 194.
 cotton, 205.
 sugar cane, 319.
niveum, watermelon, 287.
orthoceras pisi, green peas, 118, 119.
 pea, 307.
oxysporum, cotton, 205.
 Gladiolus sp., 265.
 sweetpotato, 107, 295.
 f. 1, potato, 311.
 f. 2, sweetpotato, 294.
 f. 8, pea, see *F. vasinfectum pisi*.
 nicotianae, tobacco, 208.
poae, oats, 175.
semitectum, cotton, 205.
solani eumartii, potato, 311.
 martii f. 2, pea, see *Fusarium martii pisi*.
 medium, Norway maple, 242.
vasinfectum, cotton, 120, 205.
 pisii, pea, 307.
 zonatum f. 1, onion, 275.
Fusicladium pyracanthae, *Pyracantha* sp., 270.
 saliciperdum, *Salix* spp., 251, 252.
Fusisporium rubi, blackberry, 233.
 dewberry, 233.
 raspberry, 234.
- G
- Ganoderma* sp., *Celtis occidentalis*, 243.
 Gas-burn, orange, 79.
 Ghost spot, tomato, 73.
 Giant hill (virus), potato, 314.
Gibberella, corn, 195.
 field corn, 104.
 saubinetii, barley, 99, 176.
 corn, 192, 193, 194, 195, 196.
 oats, 174.
 rye, 181.
 wheat, 96, 183.
 Girdle (non-par.), garden beet, 279.
Gloeodes pomigena, apple, 219.
 blackberry, 233.
 Citrus sp., 215.
 pear, 231.
Gloeosporium sp., cotton, 206.
 caulivorum, clover, 200.
 inconspicuum, *Ulmus* spp., 258.
 perennans, apple, 219.
 piperatum, pepper, 285.
Glomerella cingulata, apple, 124, 219.
 Ligustrum regelianum, 267.
 pepper, 285.
 gossypii, cotton, 120, 205.
Gnomonia leptostyla, *Juglans cinerea*, 245.
 ulmea, *Ulmus* spp., 258.
 veneta, *Platanus* sp., 249.
 Platanus acerifolia, 249.
 Quercus sp., 251.
 Quercus alba, 251.
 Quercus macrocarpa, 251.
 Gold leaf, strawberry, see leaf variegation.
 Gray mold rot, grape, 77.
Guignardia sp., Virginia creeper, 260.
 aesculi, *Aesculus hippocastanum*, 242.
 bidwellii, *Ampelopsis tricuspidata*, 260.
 grape, 130.
 grape, 236.
 Virginia creeper, 260.
 Gum spot (undet.), prune, 227.
 Gumming, pineapple, 80.
 Gummosis, apricot, 226.
 cherry, 228.
 Citrus sp., 215.
 peach, 214.
 spearmint, 207.

- Gymnoconia peckiana*, blackberry, 233.
 dewberry, 233.
 raspberry, 234.
Gymnosporangium spp., apple, 124, 220.
 Crataegus sp., 243.
 Sorbus americana, 253.
 aurantiacum, *Juniperus communis*
 depressa, 245.
 Sorbus dumosa, 253.
 clavipes, apple, 220.
 Crataegus spp., 243.
 Juniperus virginiana, 245.
 quince, 216.
 davisii, *Juniperus communis*
 depressa, 245.
 exiguum, *Crataegus* sp., 243.
 Juniperus virginiana, 245.
 globosum, apple, 221.
 Crataegus sp., 243.
 pear, 231.
 juniperi-virginianae, apple, 220,
 221.
 cedar, 221.
 Crataegus sp., 243.
 Juniperus virginiana, 245.
- H
- Hail injury, apple, 225.
 Haywire (virus), potato, 314.
 Heart rot, alfalfa, 199.
 Juniperus sp., 245.
 Ulmus sp., 253.
 Heat canker (non-par.), flax, 179.
 Heat injury, garden beet, 279.
 pine, 240.
 tobacco, 210.
Helminthosporium spp., apple, 221.
 barley, 98, 176.
 cotton, 206.
 garlic, 276.
 Gramineae, 203.
 rye, 181.
 sorghum, 182.
 tomato, 299.
 wheat, 183.
 avenae, oats, 175.
- Helminthosporium gramineum*, barley, 98,
 176.
 leaf spot, *Agrostis palustris*, 201.
 Dactylis glomerata, 202.
 oryzae, see *Ophiobolus miyabeanus*.
 sativum, barley, 98, 176.
 wheat, 183.
 stenospilum, sugar cane, 319.
 turcicum, sweet corn, 197.
Heterodera marioni, 133-151.
 Begonia sp., 261.
 cabbage, 284.
 Cannabis sativa, 204.
 carrot, 293.
 celery, 278.
 cotton, 120, 206.
 cowpea, 201.
 cucumber, 291.
 Dahlia sp., 263.
 Delphinium sp., 263.
 garden beet, 279.
 Gardenia sp., 264.
 onion, 275.
 Paeonia sp., 269.
 pea, 308.
 peach, 213.
 pepper, 286.
 Populus sp., 250.
 potato, 313.
 Rosa sp., 271.
 squash, 291.
 strawberry, 218.
 tobacco, 210.
 tomato, 301.
 watermelon, 283.
 Weigela sp., 273.
 schachtii, sugar beet, 317.
Heterosporium gracile, Iris, see
 Didymellina iridis, 266.
 leaf spot, spinach, 72.
 phlei, *Phleum pratense*, 202.
 Hopperburn, potato, 109, 314.
 Hormodendrum, grape, 77.
Hylurgopinus rufipes, insect vector,
 Dutch elm disease, 255.
Hypoderma lethale, *Pinus nigra*
 austriaca, 249.

Hypoxylon sp., *Populus tremuloides*, 250.

I

Internal black spot, garden beet, 279.
 breakdown, nectarine, 67.
 olive, 79.
 pineapple, 70.
 browning, apple, 62.
 greening (non-par.), potato, 315.
 Interveinal browning (undet.), tung oil
 tree, 203.
 mild mosaic (virus), dewberry, 233.
Isariopsis griseola, bean, see
Cercospora columnaris.

J

Jonathan spot (non-par.), apple, 224.
 June yellows, strawberry, see leaf
 variegation.

L

Leaf blight, *Phlox* sp., 270.
 curl (virus), raspberry, 235.
 fall, *Abies*, 242.
 Juniperus sp., 245.
 Picea sp., 246.
 necrosis, *Ilex* sp., 244.
 Begonia sp., 261.
 Catalpa sp., 243.
 Pelargonium sp., 263.
 Rhododendron sp., 270.
 roll (virus), potato, 108, 314.
 scald (non-par.), filbert, 238.
 spotting, sourgrass, 310.
 variegation (undet.), strawberry, 218.
Leptosphaeria coniothyrium, dewberry, 233.
 raspberry, 234.
 youngberry, 236.
 salvinii, rice, 179.
Leptothyrium pomi, apple, 221.
 pear, 231.
 Little peach (virus), peach, 213.

M

Macrophoma candollei, *Buxus sempervirens*, 261.
 subconica, cowpea, 201.
Macrophomina phaseoli, cowpea, 201.
 pea, 308.
Macrosporium sp., cotton, 206.
 Lunaria biennis, 268.
 onion, 274.
 Vinca sp., 273.
 carotae, carrot, 65, 293.
 catalpae, *Catalpa* sp., 243.
 porri, onion, 274.
 sarcinula parasiticum, onion, 274.
Magnesium deficiency, cauliflower, 281.
 potato, 315.
 hunger, cotton, 206.
Marasmius tritici, rye, 181.
 wheat, 183.
 Margin burn, sourgrass, 310.
Marssonina panattoniana, lettuce, 297.
 Measles (cause unknown), apple, 224.
Melampsora sp., *Populus* sp., 250.
Melampsora abietis-canadensis, *Tsuga*
 canadensis, 254.
 Tsuga caroliniana, 254.
 albertensis, *Abies*, 242.
 lini, flax, 173.
Melanconium fuliginum, grape, 237.
Melanospora sp., cotton, 206.
 Methyl bromide injury, potato, 71.
Microsphaera alni, *Euonymus* sp., 264.
 Lathyrus odoratus, 267.
 Lilac, 267.
 pecan, 238.
 Platanus sp., 249.
 acerifolia, 249.
 Syringa sp., 272.
 Mild mosaic (virus), blackberry, 233.
Monilochaetes infuscans, sweetpotato,
 107, 295.
Monochaetia desmazieri, *Quercus rubra*,
 251.
 Moron (virus), potato, 314.

- Mosaic (undet.), garlic, 276.
 sweetpotato, 296.
 (virus), *Abutilon theophrasti*, 259.
 alfalfa, 199.
 Amaranthus sp., 259.
 Antirrhinum majus, 260.
 Aquilegia sp., 260.
 bean, 306.
 cabbage, 284.
 cantaloup, 289.
 celery, 278.
 corn, 196.
 cowpea, 201.
 cucumber, 291.
 Dahlia sp., 263.
 Delphinium sp., 263.
 dry beans, 116.
 garden beet, 279.
 Gladiolus sp., 265.
 hops, 207.
 Iris sp., 266.
 Lathyrus odoratus, 267.
 lettuce, 296.
 Lilium sp., 268.
 longiflorum, 268.
 regale, 268.
 sargentiae, 268.
 lima bean, 303.
 pea, 69, 308.
 peach, 213.
 Pelargonium sp., 269.
 pepper, 286.
 Petunia sp., 270.
 potato, 108, 314.
 prune, 227.
 raspberry, 235.
 Rosa sp., 271.
 snap bean, 114.
 soybean, 200.
 spinach, 316.
 squash, 291.
 strawberry, 218.
 sugar cane, 318.
 summer squash, 292.
 tobacco, 121, 211.
 tomato, 74, 111, 113, 301.
 Tulipa sp., 273.
- Mosaic (virus), turnip, 285.
 Ulmus sp., 258.
 watermelon, 288.
 wheat, 190.
 winter squash, 292.
 Zinnia sp., 274.
- Mottle leaf, avocado, 226.
 (virus), cherry, 123, 229.
- Mucilago spongiosa*, strawberry, 218.
- Mummies (cause unknown), plum, 230.
- Mycosphaerella citrullina*, cantaloup, 289.
 pumpkin, 232.
 summer squash, 292.
 winter squash, 292.
- fragariae*, strawberry, 128, 217.
- gossypina*, cotton, 206.
- grossulariae*, gooseberry, 232.
- lythracearum*, pomogranate, 230.
- pinodes*, green peas, 118, 119.
 pea, 307.
- pomi*, apple, 222.
- rosicola*, *Rosa* sp., 271.
- rubi*, blackberry, 233.
 raspberry, 234.
 youngberry, 236.
- rubina*, raspberry, 234.
- sentina*, pear, 231.
- Myxosporium nitidum*, *Cornus* sp., 243.

N

- Nectria* sp., *Populus tremuloides*, 250.
 Quercus spp., 251.
 cinnabarina, apple, 222.
 Ulmus pumila, 258.
 rousselliana, *Buxus sempervirens*, 261.
- Needle droop disease (non-par.), red
 pine, 240.
- Nematode injury, potato, 71, 313.
- Nematodes, sorghum, 182.
- Neofabraea malicorticis*, apple, 222.
- Net necrosis (low temperature), potato,
 315.
 (virus), potato, 314.
- Nigrospora* sp., cotton, 206.
 field corn, 104.

Nigrospora oryzae, corn, 194.
 rice, 179.
sphaerica, corn, 194.
 popcorn, 194.
Nummularia discreta, apple, 222.

O

Oedema (non-par.), cabbage, 284.
Pelargonium sp., 269.
Oidium sp., avocado, 226.
Lagerstroemia indica, 267.
Oleocellosis, lime, 78.
 One-sided mosaic (cause unknown), bean,
 306.
Oöspora citri-aurantii, lime, 78.
lactis parasitica, tomato, 299.
Ophiobolus, barley, 98.
graminis, wheat, 183.
miyabeanus, rice, 179.
 Overmaturity, radish, 71.

P

Penicillium, corn, 195.
 pineapple, 80.
 prune, 70.
 sweet corn, 197.
 spp., apple, 222.
Iris sp., 266.
Citrus sp., 215.
 corn, 195, 196.
 grape, 66.
 grapefruit, 76.
 nectarine, 67.
 orange, 68, 80.
 prickly pear, 81.
digitatum, lemon, 67.
expansum, apple, 62, 222.
gladioli, *Gladiolus* sp., 265.
italicum, grapefruit, 67.
 orange, 68.
 rot, grape, 77.
Peronospora destructor, onion, 274, 276.
effusa, spinach, 81, 316.
manshurica, soybean, 200.
parasitica, cabbage, 283.

Peronospora parasitica, cauliflower,
 281.
 radish, 309.
 pisi, pea, 308.
tabacina, tobacco, 121, 208.
trifoliorum, alfalfa, 199.
Pestalotia, see *Pestalozzia*.
Pestalozzia sp., loquat, 216.
Pinus sylvestris, 249.
Rhododendron sp., 270.
Pezizella lythri, strawberry, 217.
Phaeocytospora zaeae, corn, 195.
Phlyctaena linicola, see *Sphaerella*
linorum.
Phoma sp., cotton, 206.
Pinus sp., 249.
 rice, 179.
 sorghum, 182.
Viola sp., 273.
 spp., *Antirrhinum majus*, 260.
antirrhini, *Antirrhinum majus*, 260.
betae, sugar beet, 317.
destructiva, tomato, 73, 74, 81, 299.
lingam, cabbage, 283.
medicaginis, alfalfa, 199.
persicae, peach, 213.
pomi, apple, see *Mycosphaerella pomi*.
terrestris, onion, 275.
Phomopsis, red cedar, 241.
 sp., *Acer palmatum*, 242.
Ilex sp., 244.
Juniperus ashei, 245.
virginiana, 245.
 grapefruit, 67.
 orange, 68.
callistephi, *Callistephus chinensis*,
 262.
citri, lime, 79.
 orange, 79.
gardeniae, *Gardenia* sp., 264.
juniperovora, *Juniperus* sp., 245.
kalmiae, *Kalmia* sp., 266.
sojae, soybean, 200.
vexans, eggplant, 66, 310.
 Phony peach (virus), peach, 214.
Phoradendron flavescens, *Celtis occi-*
dentalis, 243.

- Podosphaera* spp., sour cherry, 228.
 leucotricha, apple, 222.
 oxyacanthae, cherry, 228.
 Crataegus sp., 243.
 peach, 213.
Polyporus *spumeus*, apple, 222.
 Potash deficiency, cauliflower, 281.
 cotton, 206.
 tobacco, 210.
Pratylenchus *pratensis*, eggplant, 310.
Pseudodiscosia *avenae*, oats, 175.
Pseudomonas *avenae*, oats, 175.
Pseudoperonospora *cubensis*, cantaloup,
 289.
 cucumber, 290.
 humuli, hops, 206.
Pseudopeziza *medicaginis*, alfalfa, 198.
 ribis, gooseberry, 232.
 trifolii, clover, 200.
Puccinia sp., *Centaurea* sp., 262.
 anomala, barley, 99, 176.
 antirrhini, *Antirrhinum majus*, 260.
 asparagi, asparagus, 278.
 atrofusca, *Artemisia tridentata*, 260.
 chrysanthemi, *Chrysanthemum*, 262.
 cockerelliana, *Thalictrum fendleri*,
 272.
 coronata, *Lolium multiflorum*, 202.
 oats, 102, 174.
 cyani, *Centaurea* sp., 262.
 graminis, barley, 99.
 Berberis canadensis, 202.
 Dactylis glomerata, 202.
 Danthonia spicata, 202.
 oats, 102.
 Phleum pratense, 202.
 rye, 100, 180.
 wheat, 96.
 graminis avenae, oats, 174.
 tritici, barley, 177.
 epidemic of 1937 in Kansas,
 83-94.
 wheat, 183, 185, 186.
 grossulariae, gooseberry, 232.
 helianthi, *Helianthus* sp., 265.
 heterospora, *Althaea rosea*, 259.
 hieracii, *Taraxacum officinale*, 272.
 Puccinia malvacearum, *Althaea rosea*,
 259.
 Malva sp., 268.
 menthae, *Monarda didyma*, 268.
 spearmint, 207.
 podophylli, *Arisaema triphyllum*,
 260.
 polysora, *Tripsacum dactyloides*,
 203.
 purpurea, sorghum, 181.
 rubigo-vera secalis, rye, 100, 180.
 tritici, barley, 99, 177.
 wheat, 96, 184, 186.
 schedonnardi, cotton, 205.
 Muhlenbergia schreberi, 202.
 sorghii, corn, 196.
 Euchlaena mexicana, 202.
 sweet corn, 197.
Pucciniastrum *americanum*, raspberry,
 235.
 myrtilli, *Tsuga canadensis*, 254.
Pucciniopsis *caricae*, papaya, 215.
 Purple-top wilt (undet.), potato, 109,
 315.
Pyrenopeziza *medicaginis*, alfalfa, 198.
Pyrenophora *teres*, barley, 178.
Pythium sp., bean, 304.
 cantaloup, 289.
 corn, 196.
 cowpea, 201.
 cucumber, 290.
 garden beet, 279.
 lettuce, 297.
 pea, 308.
 sorghum, 182.
 spinach, 316.
 sugar beet, 317.
 tobacco, 209.
 watermelon, 288.
 wheat, 183.
 spp., potato, 70.
 sugar beet, 317.
 sweetpotato, 295.
 aphanidermatum, radish, 309.
 arrhenomanes, sugar cane, 318.
 debaryanum, flax, 179.
 ultimum, garden beet, 279.

Pythium ultimum, peanut, 204.
sweetpotato, 107.

R

Ramularia sp., *Ligustrum vulgare*, 267.

Phlox sp., 270.

agrestis, *Viola* sp., 273.

armoraciae, horseradish, 309.

pastinacae, parsnip, 303.

vallisumbrosae, *Narcissus* sp., 268.

Red leaf (undet.), oats, 175.

Reddish-brown discoloration, endive, 66.

Rehmiellopsis bohemica, *Abies concolor*,
242.

Rhabdocline pseudotsugae, *Abies*, 242.

Pseudotsuga taxifolia, 250.

Rhizoctonia spp., asparagus, 279.

bean, 304.

black locust, 241.

cabbage, 283.

cowpea, 201.

flax, 179.

Lathyrus odoratus, 267.

longleaf pine, 241.

Myrica sp., 268.

Papaver sp., 269.

pea, 308.

pepper, 286.

red spruce, 241.

rice, 179.

sorghum, 182.

spinach, 316.

strawberry, 128, 218.

tobacco, 209.

tomato, 73.

Viola sp., 273.

bataticola, honey dew melon, 77.

solani, bean, 64.

Begonia sp., 261.

cucumber, 290.

Delphinium sp., 263.

Dianthus, 264.

dry beans, 117.

endive, 287.

escarole, 287.

green peas, 118, 119.

Rhizoctonia solani, lima bean, 64.

Paeonia sp., 269.

pea, 118, 119, 307.

potato, 108.

snap bean, 115.

sugar beet, 317.

tomato, 299.

Rhizopus spp., corn, 195.

cotton, 206.

pepper, 69.

prickly pear, 81.

prune, 70.

strawberry, 72.

sweetpotato, 72, 107, 295.

nigricans, peach, 80.

strawberry, 218.

sweetpotato, 295.

rot, banana, 63.

bean, 64.

grape, 66.

peach, 68.

tomato, 73.

soft rot, onion, 68.

Rhynchosporium secalis, barley, 177.

rye, 181.

Rhytisma acerinum, *Acer saccharinum*,
242.

ilicincola, *Ilex cassine*, 244.

solidaginis, *Solidago* sp., 272.

vaccinii, *Vaccinium* sp., 273.

Ring spot, apricot, 226.

(virus), *Dahlia* sp., 263.

hops, 207.

tobacco, 211.

Root knot, nematode conference, pro-
ceedings of, 133-151.

tobacco, 207.

rot, pea, 306.

(undet.), corn, 195.

Phlox sp., 270.

strawberry, 218.

Washington gracilis filifera,
258.

trouble (cause unknown), *Juniperus*
scopulorum, 241.

Juniperus virginiana, 241.

Rosette (zinc deficiency), pecan, 238.

Rosetted mosaic (virus), peach, 214.
 Rough bark, horseradish, 309.
 (undet.), pear, 232.
 Russetting, bean, 64.
 (frost), prune, 227.
 Rust, spruce, 240.

S

Salt injury, radish, 309.
 Scald, apple, 62.
 potato, 71.
 soft, apple, 62.
 Schizophyllum sp., apple, 225.
 Sclerotinia sp., peach, 212.
 prune, 227.
 spp., apricot, 226.
 cherry, 228.
 lettuce, 296.
 convoluta, *Iris atrofusca*, 266.
 fructicola, apple, 222.
 cherry, 75, 123, 228.
 nectarine, 67.
 peach, 68, 126, 212.
 plum, 229.
 prune, 227.
 Prunus sp., 250.
 gladioli, *Gladiolus* sp., 265.
 laxa, cherry, 228.
 minor, lettuce, 296.
 sclerotiorum, *Antirrhinum majus*, 260.
 Aquilegia sp., 260.
 bean, 64, 305.
 cabbage, 283.
 carrot, 65, 293.
 cauliflower, 281.
 celery, 65, 66, 277.
 cucumber, 290.
 Digitalis purpurea, 264.
 honey dew melon, 78.
 lettuce, 296.
 Liatris sp., 267.
 potato, 312.
 summer squash, 292.
 tomato, 300.
 trifoliorum, alfalfa, 198.
 clover, 200.
 Sclerotium bataticola, corn, 195.

Sclerotium bataticola, peanut, 204.
 sweetpotato, 296.
 delphinii, *Aconitum* sp., 259.
 Delphinium sp., 263.
 Dicentra spectabilis, 264.
 oryzae, see *Leptosphaeria salvinii*.
 rolfsii, *Antirrhinum majus*, 260.
 bean, 305.
 carrot, 293.
 corn, 195.
 cowpea, 201.
 delphinium, 317.
 Delphinium sp., 263.
 eggplant, 310.
 garlic, 276.
 Iris sp., 266.
 Paeonia sp., 269.
 pepper, 286.
 potato, 70, 312.
 soybean, 200.
 sugar beet, 317.
 sweetpotato, 295.
 tobacco, 209.
 tomato, 300.
 Scolecotrichum graminis, *Phleum pratense*, 203.
 Scolytus multistriatus, insect vector,
 Dutch elm disease, 255, 256.
 Scorch (drought), *Pinus strobus*, 249.
 Scorching, *Citrus* sp., 215.
 Seed piece decay, potato, 109, 313.
 Seed rot, locust, 241.
 Seedling blight, cotton, 120.
 Septogloeum ochroleucum, *Castanea* sp.,
 243.
 Septomyxa exultata, *Salix* sp., 253.
 Septoria, wheat, 188.
 sp., *Celtis occidentalis*, 243.
 Chrysanthemum, 262.
 spp., celery, 66.
 angustifolia, *Kalmia* sp., 266.
 apii, celery, 277.
 apii-graveolentis, celery, 277.
 chrysanthemella, *Chrysanthemum*,
 262.
 chrysanthemi, see *S. chrysanthem-*
 ella.
 cichoracearum, pumpkin, 292.

- Septoria consimilis*, lettuce, 297.
 cucurbitacearum, cantaloup, 289.
 summer squash, 292.
 winter squash, 292.
dianthi, *Dianthus chinensis*, 264.
 Dianthus latifolius, 264.
gladioli, *Gladiolus* sp., 265.
helianthi, *Helianthus argophyllus*,
 265.
kalmicola, *Kalmia*, see *S. angustifolia*.
linicola, see *Sphaerella linorum*.
lycopersici, tomato, 110, 112, 300.
nodorum, wheat, 97, 188.
obesa, *Chrysanthemum*, 262.
passerinii, barley, 178.
philadelphi, *Philadelphus* sp., 270.
phlogis, *Phlox* sp., 270.
pisi, pea, 308.
tritici, wheat, 97, 138.
 Shrivel (non-par.), filbert, 238.
 Shriveling, apple, 63.
 asparagus, 63.
 pear, 69.
 Skin breakdown, orange, 68, 79.
 discoloration, peach, 68.
 Slip down (virus), hops, 207.
Sorosporium reilianum, corn, 196.
 sorghum, 181.
 syntherismae, Gramineae, 203.
 Panicum dichotomiflorum, 202.
Sphaceloma fawcettii, *Citrus* sp., 215.
 lemon, 78.
 menthae, peppermint, 207.
 perseae, avocado, 226.
 rosarum, *Rosa* sp., 271.
 Rosa multiflora, 271.
 violae, *Viola* sp., 273.
Sphacelotheca sorghi, *Holcus halepensis*, 202.
 sorghum, 181.
Sphaerella linorum, flax, 179.
Sphaeropsis sp., *Ilex* sp., 244.
 Liquidambar sp., 245.
 Liriodendron tulipifera, 245.
 Pinus sp., 249.
 Rosa sp., 271.
 Sciadopitys verticillata, 253.
 Sorbus sp., 253.
 strawberry, 218.
 Ulmus spp., 258.
 ellisi, *Pinus* sp., 249.
Sphaerotheca sp., *Rosa* sp., 271.
 humuli, *Filipendula rubra*, 264.
 hops, 207.
 Phlox sp., 270.
 raspberry, 235.
 Rosa sp., 271.
 strawberry, 218.
 mors-uvae, gooseberry, 232.
 pannosa, peach, 213.
 Rosa sp., 271.
 persicae, apricot, 226.
 nectarine, 214.
 Spindle tuber (virus), potato, 314.
 Spindling sprout (cause unknown), potato,
 315.
 Split leaf (virus), hops, 207.
 Splits (undet.), garlic, 276.
 Spondylocadium atrovirens, potato, 312.
 Sporidesmium scorzonerae, salsify, 316.
 Sporotrichum malorum, pear, 231.
 poae, *Dianthus caryophyllus*, 264.
 Spotted wilt (virus), pepper, 286.
 tomato, 74, 81, 302.
 Spotting (physiological), pea, 69.
 Sprain (undet.), potato, 315.
 Spray injury, apple, 225.
 peach, 214.
 plum, 230.
 Sprouts, onion, 67.
 Stag-head (undet.) *Platanus* sp., 250.
 Stagonospora curtisii, *Narcissus* sp.,
 269.
 meliloti, bur clover, 198.
 Steganosporium pyriforme, *Acer rubrum*,
 242.
 Stem rot, *Myrica* sp., 268.
 Stemphylium solani, tomato, 300.
 Stereum purpureum, apple, 223.
 cherry, 228.
 peach, 213.
 pear, 231.
 Stilbum cinnabarinum, fig, 216.
 Stippen, apple, see bitter pit.
 Stipple (physiological), sugar cane, 319.
 Storage losses, onion, 275.
 Storm injury, cherry, 229.
 Straighthead (non-par.), rice, 180.
 Strangulation (non-par.), cotton, 206.
 Streak, garlic, see mosaic (undet.).
 (virus), pea, 308.
 raspberry, 236.
 Rosa sp., 271.

Streak (virus), tobacco, 211.
 tomato, 302.
 Streaking, peach, 68.
 Strumella coryneoides, Quercus borealis,
 251.
 Stunt (virus), Dahlia sp., 263.
 Delphinium sp., 263.
 Styler end rot, lime, 78.
 Sulfur dioxide injury, cherry, 76.
 grape, 77.
 peach, 80.
 Sun scald, apple, 225.
 potato, 315.
 Suspected mosaic, strawberry, see leaf
 variegation.

T

Taphrina sp., Acer saccharum, 242.
 sumac, 251.
 aurea, Populus sp., 250.
 cerasi, cherry, 228.
 coerulescens, Quercus sp., 251.
 deformans, peach, 126, 212.
 mirabilis, Prunus sp., 250.
 pruni, cherry, 228.
 plum, 230.
 ulmi, Ulmus spp., 258.
 target canker (non-par.), pear, 232.
 Thielaviopsis basicola, Lathyrus odor-
 atus, 267.
 okra, 294.
 pea, 307.
 tobacco, 121, 209.
 paradoxa, pineapple, 70, 80.
 Tilletia spp., wheat, 96.
 horrida, rice, 179.
 levis, wheat, 188, 189.
 tritici, wheat, 188.
 Tipburn, avocado, 226.
 cabbage, 284.
 lettuce, 67, 297.
 onion, see blast.
 potato, 109, 314.
 sourgrass, 310.
 Translucent spot (undet.), tung oil
 tree, 204.
 Tranzschelia pruni-spinosae, peach, 213.
 plum, 230.

Tuber rot, potato, 315.

U

Uncinula necator, grape, 130, 237.
 Urocystis cepulae, onion, 275.
 occulta, rye, 100, 181.
 Uromyces caryophyllinus, Dianthus
 caryophyllus, 264.
 lilii, Liliium sp., 268.
 minor, clover, 200.
 phaseoli typica, bean, 305.
 dry beans, 117.
 lima bean, 303.
 snap bean, 115.
 striatus, alfalfa, 199.
 trifolii fallens, clover, 200.
 vignae, cowpea, 201.
 Ustilago spp., barley, 98, 178.
 sp., Gramineae, 203.
 avenae, oats, 102, 174.
 cynodontis, Cynodon dactylon, 202.
 hordei, barley, 98, 178.
 levis, oats, 102, 174.
 nigra, barley, 178.
 nuda, barley, 178.
 rabenhorstiana, Digitaria sanguin-
 alis, 202.
 striaeformis, Phleum pratense, 203.
 tritici, wheat, 96, 189.
 zaeae, corn, 196.
 field corn, 104.
 sweet corn, 106, 197.

V

Valsa spp., peach, 213.
 leucostoma, apple, 223.
 peach, 213.
 Vein banding, pepper, 287.
 Venturia chlorospora, Salix sp., 251.
 inaequalis, apple, 124, 223.
 Crataegus sp., 244.
 Malus coronaria, 245.
 Malus ioensis plena, 245.
 pyrina, pear, 122, 231.
 Vermicularia herbarum, Dianthus caryo-
 phyllus, 264.

- Vermicularia trichella, Hedera helix, 265.
- Verticillium spp., Acer platanoides, 242.
- Acer saccharum, 242.
- Buxus sempervirens, 261.
- Chrysanthemum, 262.
- Coleus sp., 262.
- cotton, 120.
- Liatris pycnostachya, 267.
- ...scariosa, 267.
- pepper, 286.
- peppermint, 207.
- Ulmus sp., 258.
- albo-atrum, Acer spp., 242.
- Berberis thunbergi, 261.
- cotton, 206.
- eggplant, 310.
- okra, 294.
- peach, 213.
- potato, 312.
- raspberry, 235.
- tomato, 300.
- dahliae, Acer spp., 242.
- Chrysanthemum, 262.
- Dahlia sp., 263.
- horseradish, 309.
- Virus diseases, green peas, 118, 119.
- pea, 308.
- peach, 126.
- potato, 108, 111.
- strawberry, 128.
- tomato, 113.
- mottling, tomato, 74.
- Volutella pachysandrae, Pechysandra terminalis, 269.
- W
- Washing injury, apple, 75.
- Watery breakdown, potato, 71.
- Weak neck (cause unknown), sorghum, 182.
- Weather data, 158-173.
- White stripe (undet.), sugar cane, 319.
- tip (non-par.), rice, 180.
- tree (undet.), tung oil tree, 204.
- Wilt (undet.), potato, 315.
- Wilting, asparagus, 63.
- spinach, 72.
- Wind injury, cherry, 229.
- Winter injury, Acer palmatum, 242.
- Aesculus hippocastanum, 242.
- alfalfa, 199.
- apple, 225.
- cherry, 229.
- gooseberry, 232.
- grape, 237.
- Ilex sp., 244.
- raspberry, 236.
- strawberry, 218.
- Thuja sp., 254.
- Ulmus sp., 258.
- killing, alfalfa, 199.
- sunscald, Acer sp., 242.
- apple, 225.
- Catalpa sp., 243.
- cherry, 229.
- Witches' broom (undet.), Tamarix sp., 272.
- (virus), blackberry, 233.
- Gleditsia triacanthos, 244.
- potato, 314.
- Robinia pseudoacacia, 251.
- strawberry, 218.
- X
- Xylaria mali, apple, 223.
- Y
- Yellow dwarf (virus), onion, 276.
- potato, 314.
- leaf, strawberry, see leaf variegation.
- mosaic, bean, 306.
- Yellow-flecking (virus), hops, 207.
- Yellows (non-par.), parsley, 303.
- (virus), chokecherry, 214.
- peach, 214.
- wild cherry, 214.
- (aster yellows virus), Callistephus chinensis, 262.
- carrot, 293.
- celery, 273.
- endive, 287.

Yellows (aster yellows virus), Erigeron
sp., 264.
escarole, 287.
lettuce, 296.
parsley, 303.

Z

"Z" disease, potato, 315.

